



Freeform Search

Database:	US Pre-Grant Publication Full-Text Database
	US Patents Full-Text Database
	US OCR Full-Text Database
	EPO Abstracts Database
	JPO Abstracts Database
	Derwent World Patents Index
	IBM Technical Disclosure Bulletins

Term:	<input type="text"/>	 
--------------	----------------------	--

Display:	<input type="text" value="10"/>	Documents in Display Format:	<input type="text" value="TI"/>	Starting with Number	<input type="text" value="3"/>
-----------------	---------------------------------	-------------------------------------	---------------------------------	-----------------------------	--------------------------------

Generate:	<input type="radio"/> Hit List	<input checked="" type="radio"/> Hit Count	<input type="radio"/> Side by Side	<input type="radio"/> Image
------------------	--------------------------------	--	------------------------------------	-----------------------------

Search History

DATE: Saturday, April 17, 2004
 [Printable Copy](#)
 [Create Case](#)

<u>Set</u> <u>Name</u>	<u>Query</u>	<u>Hit</u> <u>Count</u>	<u>Set</u> <u>Name</u> result set
	<i>DB=USPT; PLUR=YES; OP=ADJ</i>		
<u>L19</u>	117 and (run time or runtime or run-time)	34	<u>L19</u>
<u>L18</u>	117 same (run time or runtime or run-time)	0	<u>L18</u>
<u>L17</u>	processing with(event or transaction) with atomic\$6	118	<u>L17</u>
<u>L16</u>	processing near5 (event or transaction) near5 atomically	5	<u>L16</u>
<u>L15</u>	6477564.pn.	1	<u>L15</u>
<u>L14</u>	atomicity same(run time or runtime or run-time)	4	<u>L14</u>
<u>L13</u>	atomicity with (run time or runtime or run-time)	2	<u>L13</u>
<u>L12</u>	atomicity near5 (run time or runtime or run-time)	2	<u>L12</u>
<u>L11</u>	atomicity near5 (run time or runtime or run-time)	2	<u>L11</u>
<u>L10</u>	atomically same (object or program or application or web page or event or transaction or process or thread or message) same (run time or runtime or run-time or start\$6)	54	<u>L10</u>
<u>L9</u>	atomically near5 process\$4 same (object or program or application or web page or event or transaction or process or thread or message) same (run time or runtime or run-time or start\$6)	14	<u>L9</u>

<u>L8</u>	atomically near5 process\$4 same (object or program or application or web page or event or transaction or process or thread or message) same (run time or runtime or run-time or start\$6)	14	<u>L8</u>
<u>L7</u>	atomically same (object or program or application or web page or event or transaction or process or thread or message) same (run time or runtime or run-time or start\$6)	54	<u>L7</u>
<u>L6</u>	atomicity same (object or program or application or web page or event or transaction or process or thread or message) same (run time or runtime or run-time or start\$6)	37	<u>L6</u>
<i>DB=PGPB,USPT; PLUR=YES; OP=ADJ</i>			
<u>L5</u>	atomicity same (object or program or application or web page or event or transaction or process or thread or message) same (run time or runtime or run-time or start\$6)	45	<u>L5</u>
<u>L4</u>	atomicity same(object or event or transaction or process or thread) same (run time or runtime or run-time)	2	<u>L4</u>
<u>L3</u>	atomicity with (object or event or transaction or process or thread) with (run time or runtime or run-time)	0	<u>L3</u>
<u>L2</u>	atomicity with (object or event or transaction or process or thread) with (run time or runtime or run-time)	0	<u>L2</u>
<u>L1</u>	atomicity near5 (object or event or transaction or process or thread) near5 (run time or runtime or run-time)	0	<u>L1</u>

END OF SEARCH HISTORY

Freeform Search

Database:	<div style="border: 1px solid black; padding: 2px;"> US Pre-Grant Publication Full-Text Database US Patents Full-Text Database US OCR Full-Text Database EPO Abstracts Database JPO Abstracts Database Derwent World Patents Index IBM Technical Disclosure Bulletins </div>
Term:	<div style="border: 1px solid black; padding: 2px;"> atomically near5 process\$4 same (object or program or application or web page or event or transaction or process or thread or message) </div>
Display:	<div style="border: 1px solid black; padding: 2px;"> 10 Documents in Display Format: <div style="border: 1px solid black; padding: 2px;">TI</div> Starting with Number <div style="border: 1px solid black; padding: 2px;">1</div> </div>
Generate: <input type="radio"/> Hit List <input checked="" type="radio"/> Hit Count <input type="radio"/> Side by Side <input type="radio"/> Image	

Search

Clear

Interrupt

Search History

DATE: Saturday, April 17, 2004 [Printable Copy](#) [Create Case](#)

<u>Set</u> <u>Name</u>	<u>Query</u>	<u>Hit</u> <u>Count</u>	<u>Set</u> <u>Name</u> result set
<i>DB=USPT; PLUR=YES; OP=ADJ</i>			
<u>L9</u>	atomically near5 process\$4 same (object or program or application or web page or event or transaction or process or thread or message) same (run time or runtime or run-time or start\$6)	14	<u>L9</u>
<u>L8</u>	atomically near5 process\$4 same (object or program or application or web page or event or transaction or process or thread or message) same (run time or runtime or run-time or start\$6)	14	<u>L8</u>
<u>L7</u>	atomically same (object or program or application or web page or event or transaction or process or thread or message) same (run time or runtime or run-time or start\$6)	54	<u>L7</u>
<u>L6</u>	atomicity same (object or program or application or web page or event or transaction or process or thread or message) same (run time or runtime or run-time or start\$6)	37	<u>L6</u>
<i>DB=PGPB,USPT; PLUR=YES; OP=ADJ</i>			
<u>L5</u>	atomicity same (object or program or application or web page or event or transaction or process or thread or message) same (run time or runtime or run-time or start\$6)	45	<u>L5</u>

<u>L4</u>	atomicity same(object or event or transaction or process or thread) same (run time or runtime or run-time)	2	<u>L4</u>
<u>L3</u>	atomicity with (object or event or transaction or process or thread) with (run time or runtime or run-time)	0	<u>L3</u>
<u>L2</u>	atomicity with (object or event or transaction or process or thread) with (run time or runtime or run-time)	0	<u>L2</u>
<u>L1</u>	atomicity near5 (object or event or transaction or process or thread) near5 (run time or runtime or run-time)	0	<u>L1</u>

END OF SEARCH HISTORY

Freeform Search

Database:	US Pre-Grant Publication Full-Text Database US Patents Full-Text Database US OCR Full-Text Database EPO Abstracts Database JPO Abstracts Database Derwent World Patents Index IBM Technical Disclosure Bulletins
Term:	<input type="button" value="Up"/> <input type="button" value="Down"/> <input type="button" value="OK"/>
Display:	<input type="text" value="10"/> Documents in Display Format: <input type="text" value="TI"/> Starting with Number <input type="text" value="1"/>
Generate: <input type="radio"/> Hit List <input checked="" type="radio"/> Hit Count <input type="radio"/> Side by Side <input type="radio"/> Image	

Search History

DATE: Saturday, April 17, 2004 [Printable Copy](#) [Create Case](#)

<u>Set</u> <u>Name</u>	<u>Query</u>	<u>Hit</u> <u>Count</u>	<u>Set</u> <u>Name</u> <small>result set</small>
	<i>DB=USPT; PLUR=YES; OP=ADJ</i>		
<u>L14</u>	atomicity same(run time or runtime or run-time)	4	<u>L14</u>
<u>L13</u>	atomicity with (run time or runtime or run-time)	2	<u>L13</u>
<u>L12</u>	atomicity near5 (run time or runtime or run-time)	2	<u>L12</u>
<u>L11</u>	atomicity near5 (run time or runtime or run-time)	2	<u>L11</u>
<u>L10</u>	atomically same (object or program or application or web page or event or transaction or process or thread or message) same (run time or runtime or run-time or start\$6)	54	<u>L10</u>
<u>L9</u>	atomically near5 process\$4 same (object or program or application or web page or event or transaction or process or thread or message) same (run time or runtime or run-time or start\$6)	14	<u>L9</u>
<u>L8</u>	atomically near5 process\$4 same (object or program or application or web page or event or transaction or process or thread or message) same (run time or runtime or run-time or start\$6)	14	<u>L8</u>
<u>L7</u>	atomically same (object or program or application or web page or event or transaction or process or thread or message) same (run time or runtime or run-time or start\$6)	54	<u>L7</u>

<u>L6</u>	atomicity same (object or program or application or web page or event or transaction or process or thread or message) same (run time or runtime or run-time or start\$6)	37	<u>L6</u>
<i>DB=PGPB,USPT; PLUR=YES; OP=ADJ</i>			
<u>L5</u>	atomicity same (object or program or application or web page or event or transaction or process or thread or message) same (run time or runtime or run-time or start\$6)	45	<u>L5</u>
<u>L4</u>	atomicity same(object or event or transaction or process or thread) same (run time or runtime or run-time)	2	<u>L4</u>
<u>L3</u>	atomicity with (object or event or transaction or process or thread) with (run time or runtime or run-time)	0	<u>L3</u>
<u>L2</u>	atomicity with (object or event or transaction or process or thread) with (run time or runtime or run-time)	0	<u>L2</u>
<u>L1</u>	atomicity near5 (object or event or transaction or process or thread) near5 (run time or runtime or run-time)	0	<u>L1</u>

END OF SEARCH HISTORY


[Web](#) [Images](#) [Groups](#) [News](#) [Froogle](#)^{New!} [more »](#)

runtime atomicity object

Search

[Advanced Search](#)
[Preferences](#)
Web

Results 21 - 30 of about 6,050 for runtime atomicity object. (0.13 seconds)

SecurityFocus HOME Vulns help: Microsoft Windows C Runtime Library ...

... Microsoft Windows C **Runtime** Library Format String Vulnerability. ... For example, the error might occur when an **object** accepts input from an ... **Atomicity** Errors. ...

www.securityfocus.com/bid/3732/help/ - 29k - [Cached](#) - [Similar pages](#)

SecurityFocus HOME Vulns help: Squid HTTP Runtime Configuration ...

... Squid HTTP **Runtime** Configuration Vulnerability. ... For example, the error might occur when an **object** accepts input from an unauthorized subject ... **Atomicity** Errors. ...

www.securityfocus.com/bid/4150/help/ - 29k - [Cached](#) - [Similar pages](#)

[[More results from www.securityfocus.com](#)]

SMIL Document Object Model

... **Object** Temporal Events; Logical Temporal Events; Synchronization Events; ... the SMIL DOM: To simplify **runtime** engines, we ... atomic change group, the **atomicity** can be ...

www.w3.org/1999/08/WD-smil-boston-19990803/DOM/smil-dom.html - 50k - [Cached](#) - [Similar pages](#)

[PS] Chapter 1

File Format: Adobe PostScript - [View as Text](#)

... The **runtime** system can place these subobjects on different processors, while still providing **atomicity** for all operations on the entire **object**. ...

www.cs.vu.nl/~tim/thesis/ch1.ps - [Similar pages](#)

[[More results from www.cs.vu.nl](#)]

Librairie Eyrolles, Java Card Technology for Smart Cards : le ...

... 3.5.3 Java Card **Runtime** Features 3.6 Java Card APIs 3.6.1 ... Transient Objects 4.4 A

Few Words about **Object** Creation and Deletion 5 **Atomicity** and Transactions ...

www.calindex.com/livre-informatique-hardware-cartes-puce-java-card-technology-for-smart-cards.html - 26k -

[Cached](#) - [Similar pages](#)

[PDF] Microsoft PowerPoint - x2ts-B.ppt

File Format: PDF/Adobe Acrobat - [View as HTML](#)

... based CORBA based Wfm Wfm **Runtime Runtime** • BODTF Wfm ... transaction model - compensation spheres, - **atomicity** spheres, - exception ... data flow Business **object** A X ...

www.research.ibm.com/Middleware2000/WiP_Papers/WiP-2.pdf - [Similar pages](#)

Bookpool: Java Card Technology for Smart Cards: Architecture and ...

... 38 3.5.3 Java Card **Runtime** Features 39 3.6 Java Card APIs 40 3.6 ... Transient Objects

54 4.4 A Few Words about **Object** Creation and ... 5 **Atomicity** and Transactions 57. ...

www.bookpool.com/x/n5d5dhqke4/sm/0201703297 - 22k - [Cached](#) - [Similar pages](#)

ACID properties, Transaction aggregates (see queries, aggregate ...

... app id classes, Application Identity **Atomicity**, Transaction attach ... JDOHelper JDO

Identity **Object**, JDO Identity ... Metadata Placement JDO **runtime** extensions, JDO ...

www.solarmetric.com/Software/Documentation/3.1.0RC2/docs/ix01.html - 39k - [Cached](#) - [Similar pages](#)

[PDF] Obstacles in Object-Oriented Software Development

File Format: PDF/Adobe Acrobat - [View as HTML](#)

... powerful than inheritance" % can be reconfigured at **runtime** ... solves the problem of **atomicity** and inheritance ... be solved by controlling **object's** interfaces ...

nenya.ms.mff.cuni.cz/teaching/seminars/ 2002-12-12-Konas-oosw.pdf - [Similar pages](#)

[PS] [Atomizer: A Dynamic **Atomicity** CheckerFor Multithreaded Programs](#)

File Format: Adobe PostScript - [View as Text](#)

... Static detection of **atomicity** violationsin **object**-oriented programs. ... Run-time analysis for **atomicity**. ... ceedings of the Workshop on **Runtime** Verification, volume ...

www.cse.ucsc.edu/~cormac/papers/popl04.ps - [Similar pages](#)

◀ Goooooooooooooooooog le ▶

Result Page: [Previous](#) [1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) [11](#) [12](#) [Next](#)

runtime atomicity object

Search

[Search within results](#) | [Language Tools](#) | [Search Tips](#)

[Google Home](#) - [Advertising Products](#) - [Business Solutions](#) - [About Google](#)

©2004 Google

Freeform Search

Database:	US Pre-Grant Publication Full-Text Database US Patents Full-Text Database US OCR Full-Text Database EPO Abstracts Database JPO Abstracts Database Derwent World Patents Index IBM Technical Disclosure Bulletins
Term:	
Display:	<input type="text" value="10"/> Documents in Display Format: <input type="text" value="TI"/> Starting with Number <input type="text" value="1"/>
Generate: <input type="radio"/> Hit List <input checked="" type="radio"/> Hit Count <input type="radio"/> Side by Side <input type="radio"/> Image	

Search

Clear

Interrupt

Search History

DATE: Monday, April 05, 2004 [Printable Copy](#) [Create Case](#)

<u>Set</u> <u>Name</u> <u>Query</u>	<u>Hit</u> <u>Count</u>	<u>Set</u> <u>Name</u> result set
side by side		
<i>DB=USPT; PLUR=YES; OP=ADJ</i>		
<u>L32</u> process\$3 same (event or request) same state machine same (web adj2 object or object or web\$object) same manag\$10	25	<u>L32</u>
<u>L31</u> L28 same browser	0	<u>L31</u>
<u>L30</u> L28 same l4	1	<u>L30</u>
<u>L29</u> L28 same (template or web page)	1	<u>L29</u>
<u>L28</u> process\$3 same (event or request) same state machine same (web adj2 object or object or web\$object)	122	<u>L28</u>
<i>DB=PGPB; PLUR=YES; OP=ADJ</i>		
<u>L27</u> state machine same lifecycle	2	<u>L27</u>
<i>DB=USPT; PLUR=YES; OP=ADJ</i>		
<u>L26</u> state machine same lifecycle	3	<u>L26</u>
<u>L25</u> process\$3 near5 (event or request) and state machine same lifecycle	1	<u>L25</u>
<u>L24</u> process\$3 near5 (event or request) same state machine same lifecycle	0	<u>L24</u>
<u>L23</u> process\$3 same (event or request) same state machine	2094	<u>L23</u>
<u>L22</u> process\$3 same (event ot request) same state machine	0	<u>L22</u>

<u>L21</u>	process\$3 near5 (event ot request) same state machine	0	<u>L21</u>
<u>L20</u>	L18 same device	3	<u>L20</u>
<u>L19</u>	L18 same device	3	<u>L19</u>
<u>L18</u>	L16 same web page	44	<u>L18</u>
<u>L17</u>	L16 same l4	18	<u>L17</u>
<u>L16</u>	(web adj2 object or object or web\$object) with template	3679	<u>L16</u>
<u>L15</u>	L14 and l4	29	<u>L15</u>
<u>L14</u>	state machine and life\$cycle	52	<u>L14</u>
<u>L13</u>	L12 and life\$cycle	2	<u>L13</u>
<u>L12</u>	l4 same state machine	2383	<u>L12</u>
<u>L11</u>	L10 same web page	0	<u>L11</u>
<u>L10</u>	L9 same l4	56	<u>L10</u>
<u>L9</u>	(web adj2 object or object or web\$object) same state machine	891	<u>L9</u>
<u>L8</u>	state machine same object	891	<u>L8</u>
<u>L7</u>	state machine same lifecycle	3	<u>L7</u>
<u>L6</u>	state machine lifecycle	0	<u>L6</u>
<u>L5</u>	l4 same l2	2	<u>L5</u>
<u>L4</u>	(gather\$6 or collect\$6 or generat\$6 or analy\$6 or assembl\$6 or present\$10) same (state or status or event or statist\$10 or textual) same (device or network device or printer or copier or fax machine or facsimile)	104435	<u>L4</u>
<u>L3</u>	(gather\$6 or collect\$6 or generat\$6 or analy\$6 or assembl\$6 or present\$10) same (state or status or event or statist\$10 or textual) same (device or network device or printer or copier or fax mechine or facsimile)	104402	<u>L3</u>
<u>L2</u>	L1 same web page	114	<u>L2</u>
<u>L1</u>	(web adj2 object or object or web\$object)same machine	96748	<u>L1</u>

END OF SEARCH HISTORY

Freeform Search

Database:	<div style="border: 1px solid black; padding: 2px;"> US Pre-Grant Publication Full-Text Database US Patents Full-Text Database US OCR Full-Text Database EPO Abstracts Database JPO Abstracts Database Derwent World Patents Index IBM Technical Disclosure Bulletins </div>
Term:	<div style="border: 1px solid black; padding: 2px;"> L14 and l4 </div>
Display:	<div style="border: 1px solid black; padding: 2px;">10</div>
Documents in Display Format: <div style="border: 1px solid black; padding: 2px;">TI</div>	
Starting with Number <div style="border: 1px solid black; padding: 2px;">10</div>	
Generate: <input type="radio"/> Hit List <input checked="" type="radio"/> Hit Count <input type="radio"/> Side by Side <input type="radio"/> Image	

Search

Clear

Interrupt

Search History

DATE: Monday, April 05, 2004 [Printable Copy](#) [Create Case](#)




<u>Set</u> <u>Name</u>	<u>Query</u>	<u>Hit</u> <u>Count</u>	<u>Set</u> <u>Name</u> result set
side by side			
<i>DB=USPT; PLUR=YES; OP=ADJ</i>			
<u>L15</u>	L14 and l4	29	<u>L15</u>
<u>L14</u>	state machine and life\$cycle	52	<u>L14</u>
<u>L13</u>	L12 and life\$cycle	2	<u>L13</u>
<u>L12</u>	l4 same state machine	2383	<u>L12</u>
<u>L11</u>	L10 same web page	0	<u>L11</u>
<u>L10</u>	L9 same l4	56	<u>L10</u>
<u>L9</u>	(web adj2 object or object or web\$object) same state machine	891	<u>L9</u>
<u>L8</u>	state machine same object	891	<u>L8</u>
<u>L7</u>	state machine same lifecycle	3	<u>L7</u>
<u>L6</u>	state machine lifecycle	0	<u>L6</u>
<u>L5</u>	l4 same l2	2	<u>L5</u>
<u>L4</u>	(gather\$6 or collect\$6 or generat\$6 or analy\$6 or assembl\$6 or present\$10) same (state or status or event or statist\$10 or textual) same (device or network device or printer or copier or fax machine or facsimile) (gather\$6 or collect\$6 or generat\$6 or analy\$6 or assembl\$6 or present\$10)	104435	<u>L4</u>

<u>L3</u>	same (state or status or event or statist\$10 or textual) same (device or network device or printer or copier or fax mechine or facsimile)	104402	<u>L3</u>
<u>L2</u>	L1 same web page	114	<u>L2</u>
<u>L1</u>	(web adj2 object or object or web\$object)same machine	96748	<u>L1</u>

END OF SEARCH HISTORY

Freeform Search

Database:	US Pre-Grant Publication Full-Text Database
	US Patents Full-Text Database
	US OCR Full-Text Database
	EPO Abstracts Database
	JPO Abstracts Database
	Derwent World Patents Index
	IBM Technical Disclosure Bulletins

Term:	<input type="text"/>	  
--------------	----------------------	---

Display:	<input type="text" value="10"/>	Documents in Display Format:	<input type="text" value="TI"/>	Starting with Number	<input type="text" value="1"/>
-----------------	---------------------------------	-------------------------------------	---------------------------------	-----------------------------	--------------------------------

Generate: ☐ Hit List ☒ Hit Count ☐ Side by Side ☐ Image

Search

Clear

Interrupt

Search History

DATE: Saturday, April 17, 2004 [Printable Copy](#) [Create Case](#)

<u>Set</u> <u>Name</u>	<u>Query</u>	<u>Hit</u> <u>Count</u>	<u>Set</u> <u>Name</u> result set
side by side			
	<i>DB=USPT; PLUR=YES; OP=ADJ</i>		
<u>L16</u>	atomic\$6 same (runtime or run time or run-time)same(object or event)	17	<u>L16</u>
<u>L15</u>	atomic\$6 with (runtime or run time or run-time)with (object or event)	4	<u>L15</u>
<u>L14</u>	(runtime or run time or run-time)with (object or event)	2936	<u>L14</u>
<u>L13</u>	(establish\$6 or provid\$4) with atomic\$6 with (runtime or run time or run-time)with (object or event)	0	<u>L13</u>
<u>L12</u>	processing with (event or object) with (without interruption or no interruption)	70	<u>L12</u>
<u>L11</u>	processing with (event or object) with (without interruption or no interruption)	3	<u>L11</u>
<u>L10</u>	processing with (event or object) with atomically	3	<u>L10</u>
<u>L9</u>	processing with (event or object) with atomic\$10	128	<u>L9</u>
<u>L8</u>	processing near5 (event or object) near5 atomic\$10	30	<u>L8</u>
<u>L7</u>	(event or object) near5 atomic\$10 with (runtime or run time or run-time)	4	<u>L7</u>
<u>L6</u>	(event or object) near5 atomic\$10	1263	<u>L6</u>
<u>L5</u>	processing near5 (event or object) near5 atomic\$10	30	<u>L5</u>

<u>L4</u>	(event or object) with atomic\$10 with processing	128	<u>L4</u>
<u>L3</u>	(process or thread or event or object) with atomic\$10 with processing	262	<u>L3</u>
<u>L2</u>	(process or thread or transaction or event or object) near5 (atomicity or atomically) near5 processing	23	<u>L2</u>
<u>L1</u>	(process or thread or transaction or event) near5 atomically	195	<u>L1</u>

END OF SEARCH HISTORY

Freeform Search

Database:	US Pre-Grant Publication Full-Text Database US Patents Full-Text Database US OCR Full-Text Database EPO Abstracts Database JPO Abstracts Database Derwent World Patents Index IBM Technical Disclosure Bulletins
Term:	<input type="button" value="↑"/> <input type="button" value="↓"/>
Display: <input type="text" value="10"/> Documents in Display Format: <input type="text" value="TI"/> Starting with Number <input type="text" value="1"/>	
Generate: <input type="radio"/> Hit List <input checked="" type="radio"/> Hit Count <input type="radio"/> Side by Side <input type="radio"/> Image	

Search	Clear	Interrupt
--------	-------	-----------

Search History



DATE: Friday, April 16, 2004 [Printable Copy](#) [Create Case](#)

<u>Set</u> <u>Name</u>	<u>Query</u>	<u>Hit</u> <u>Count</u>	<u>Set</u> <u>Name</u> <small>result set</small>
<small>side by side</small>			
<i>DB=USPT; PLUR=YES; OP=ADJ</i>			
<u>L10</u>	(transmit\$6 or receiv\$6 or process\$6) with que\$6 event with (fifo or first-in-first-out or in order)	7	<u>L10</u>
<u>L9</u>	L8 and atomic\$6	3	<u>L9</u>
<u>L8</u>	(transmit\$6 or receiv\$6 or process\$6)near5 que\$6 event with (fifo or first-in-first-out or in order)	10	<u>L8</u>
<u>L7</u>	event near5 atomic\$6	203	<u>L7</u>
<u>L6</u>	6664978	1	<u>L6</u>
<u>L5</u>	6104797.pn.	1	<u>L5</u>
<u>L4</u>	atomic\$6 adj5 process\$3 near5 (event or action)	20	<u>L4</u>
<u>L3</u>	atomic\$6 adj5 process\$3 near5 (event or action)	20	<u>L3</u>
<u>L2</u>	atomic\$6 process\$3 near5 (event or action)	0	<u>L2</u>
<u>L1</u>	process\$3 near5 event near5 atomic\$6	39	<u>L1</u>

END OF SEARCH HISTORY

Freeform Search

Database:	US Pre-Grant Publication Full-Text Database
	US Patents Full-Text Database
	US OCR Full-Text Database
	EPO Abstracts Database
	JPO Abstracts Database
	Derwent World Patents Index
	IBM Technical Disclosure Bulletins

Term:	<input type="text"/>	 
-------	----------------------	--

Display:	<input type="text" value="10"/>	Documents in Display Format:	<input type="text" value="TI"/>	Starting with Number	<input type="text" value="17"/>
----------	---------------------------------	------------------------------	---------------------------------	----------------------	---------------------------------

Generate: ☐ Hit List ☒ Hit Count ☐ Side by Side ☐ Image

Search History



DATE: Friday, April 16, 2004 [Printable Copy](#) [Create Case](#)

<u>Set</u> <u>Name</u>	<u>Query</u>	<u>Hit</u> <u>Count</u>	<u>Set</u> <u>Name</u> result set
side by side			
<i>DB=USPT; PLUR=YES; OP=ADJ</i>			
<u>L11</u>	process\$3 near5 event near5 (without interruption or atomic\$6)	55	<u>L11</u>
<u>L10</u>	(transmit\$6 or receiv\$6 or process\$6) with que\$6 event with (fifo or first-in-first-out or in order)	7	<u>L10</u>
<u>L9</u>	L8 and atomic\$6	3	<u>L9</u>
<u>L8</u>	(transmit\$6 or receiv\$6 or process\$6)near5 que\$6 event with (fifo or first-in-first-out or in order)	10	<u>L8</u>
<u>L7</u>	event near5 atomic\$6	203	<u>L7</u>
<u>L6</u>	6664978	1	<u>L6</u>
<u>L5</u>	6104797.pn.	1	<u>L5</u>
<u>L4</u>	atomic\$6 adj5 process\$3 near5 (event or action)	20	<u>L4</u>
<u>L3</u>	atomic\$6 adj5 process\$3 near5 (event or action)	20	<u>L3</u>
<u>L2</u>	atomic\$6 process\$3 near5 (event or action)	0	<u>L2</u>
<u>L1</u>	process\$3 near5 event near5 atomic\$6	39	<u>L1</u>

END OF SEARCH HISTORY

Freeform Search

Database:	US Pre-Grant Publication Full-Text Database
	US Patents Full-Text Database
	US OCR Full-Text Database
	EPO Abstracts Database
	JPO Abstracts Database
	Derwent World Patents Index
	IBM Technical Disclosure Bulletins

Term:	<input type="text"/>	 
--------------	----------------------	--

Display:	<input type="text" value="10"/>	Documents in Display Format:	<input type="text" value="TI"/>	Starting with Number	<input type="text" value="1"/>
-----------------	---------------------------------	-------------------------------------	---------------------------------	-----------------------------	--------------------------------

Generate: ☐ Hit List ☒ Hit Count ☐ Side by Side ☐ Image

Search History

DATE: Friday, April 16, 2004 [Printable Copy](#) [Create Case](#)

Set Name Query

side by side

DB=USPT; PLUR=YES; OP=ADJ

Hit Count Set Name




result set

<u>L5</u>	6104797.pn.	1	<u>L5</u>
<u>L4</u>	atomic\$6 adj5 process\$3 near5 (event or action)	20	<u>L4</u>
<u>L3</u>	atomic\$6 adj5 process\$3 near5 (event or action)	20	<u>L3</u>
<u>L2</u>	atomic\$6 process\$3 near5 (event or action)	0	<u>L2</u>
<u>L1</u>	process\$3 near5 event near5 atomic\$6	39	<u>L1</u>

END OF SEARCH HISTORY

Freeform Search

Database:	US Pre-Grant Publication Full-Text Database
	US Patents Full-Text Database
	US OCR Full-Text Database
	EPO Abstracts Database
	JPO Abstracts Database
	Derwent World Patents Index
	IBM Technical Disclosure Bulletins

Term:	<input type="text"/>	  
--------------	----------------------	---

Display:	<input type="text" value="10"/>	Documents in Display Format:	<input type="text" value="TI"/>	Starting with Number	<input type="text" value="1"/>
-----------------	---------------------------------	-------------------------------------	---------------------------------	-----------------------------	--------------------------------

Generate: ☐ Hit List ☒ Hit Count ☐ Side by Side ☐ Image

Search

Clear

Interrupt

Search History

DATE: Friday, April 16, 2004 [Printable Copy](#) [Create Case](#)

Set Name Query

side by side

Hit Count Set Name

result set

DB=USPT; PLUR=YES; OP=ADJ

<u>L10</u>	atomic\$6 process\$6 with (state or action or messag\$3 or event)	7	<u>L10</u>
<u>L9</u>	atomic\$6 with process\$6 with (state or action or messag\$3 or event)	648	<u>L9</u>
<u>L8</u>	atomic\$6 process\$6 same event	7	<u>L8</u>
<u>L7</u>	atomic\$6 process\$6 sameevent	0	<u>L7</u>
<u>L6</u>	atomic\$6 process\$6 with event	0	<u>L6</u>
<u>L5</u>	atomic\$6 process\$6 near5 event	0	<u>L5</u>

DB=PGPB; PLUR=YES; OP=ADJ

<u>L4</u>	atomic\$6 near5 process\$6 event	0	<u>L4</u>
-----------	----------------------------------	---	-----------

DB=USPT; PLUR=YES; OP=ADJ

<u>L3</u>	atomic\$6 near5 process\$6 event	2	<u>L3</u>
<u>L2</u>	atomic\$6 near5 process\$6 event	2	<u>L2</u>
<u>L1</u>	atomic\$6 near5 process\$6 near5 event	33	<u>L1</u>

END OF SEARCH HISTORY

Freeform Search

Database:	US Pre-Grant Publication Full-Text Database
	US Patents Full-Text Database
	US OCR Full-Text Database
	EPO Abstracts Database
	JPO Abstracts Database
	Derwent World Patents Index
	IBM Technical Disclosure Bulletins

Term:	<input type="text"/>	<input type="button" value="Up"/>	<input type="button" value="Down"/>
-------	----------------------	-----------------------------------	-------------------------------------

Display:	<input type="text" value="10"/>	Documents in Display Format:	<input type="text" value="TI"/>	Starting with Number	<input type="text" value="1"/>
----------	---------------------------------	------------------------------	---------------------------------	----------------------	--------------------------------

Generate: ☐ Hit List ☒ Hit Count ☐ Side by Side ☐ Image

Search History

DATE: Friday, April 16, 2004 [Printable Copy](#) [Create Case](#)

<u>Set</u> <u>Name</u>	<u>Query</u>	<u>Hit</u> <u>Count</u>	<u>Set</u> <u>Name</u> result set
side by side			
	<i>DB=USPT; PLUR=YES; OP=ADJ</i>		
<u>L23</u>	event near5 (atomically or atomicity)	22	<u>L23</u>
<u>L22</u>	process\$6 with (action near3 states or event or alarm) with (atomically or atomicity)	12	<u>L22</u>
<u>L21</u>	process\$6 near5 (action near3 states or event or alarm) near5 atomic\$6	39	<u>L21</u>
<u>L20</u>	process\$6 near5 (action or transaction or message or event or states) near5 (atomically or atomicity)	53	<u>L20</u>
<u>L19</u>	process\$6 near5 (action or transaction or message or event or states) near5 atomic\$6	252	<u>L19</u>
<u>L18</u>	process\$6 with (action or transaction or message or event or states) near5 atomic\$6	417	<u>L18</u>
<u>L17</u>	116 and event near5 atomic\$6	1	<u>L17</u>
<u>L16</u>	6311238	6	<u>L16</u>
<u>L15</u>	6311238	6	<u>L15</u>
<u>L14</u>	L12 and event near5 atomic\$6	1	<u>L14</u>
<u>L13</u>	L12 and event near5 atomic\$6 near5 process\$4	1	<u>L13</u>

<u>L12</u>	6141679.pn.	1	<u>L12</u>
<u>L11</u>	process\$3 near5 event near5 (without interruption or atomic\$6)	55	<u>L11</u>
<u>L10</u>	(transmit\$6 or receiv\$6 or process\$6) with que\$6 event with (fifo or first-in-first-out or in order)	7	<u>L10</u>
<u>L9</u>	L8 and atomic\$6	3	<u>L9</u>
<u>L8</u>	(transmit\$6 or receiv\$6 or process\$6)near5 que\$6 event with (fifo or first-in-first-out or in order)	10	<u>L8</u>
<u>L7</u>	event near5 atomic\$6	203	<u>L7</u>
<u>L6</u>	6664978	1	<u>L6</u>
<u>L5</u>	6104797.pn.	1	<u>L5</u>
<u>L4</u>	atomic\$6 adj5 process\$3 near5 (event or action)	20	<u>L4</u>
<u>L3</u>	atomic\$6 adj5 process\$3 near5 (event or action)	20	<u>L3</u>
<u>L2</u>	atomic\$6 process\$3 near5 (event or action)	0	<u>L2</u>
<u>L1</u>	process\$3 near5 event near5 atomic\$6	39	<u>L1</u>

END OF SEARCH HISTORY